

POISON

KEEP OUT OF REACH OF CHILDREN
FOR ANIMAL TREATMENT ONLY
READ SAFETY DIRECTIONS BEFORE OPENING OR USING

RAMETIN[®]

ORAL SHEEP DRENCH

Active Constituent: 800 g/kg NAPHTHALOPHOS
(Anticholinesterase compound)



For the control of organophosphate susceptible strains of gastrointestinal mature and immature roundworms in sheep and lambs.

1.5 kg NET

Contents when packed

10 L

Contents when reconstituted

PHARM SMART AUSTRALIA PTY LTD.
Suite 11, Level 1, 240 Waterworks Road, Ashgrove QLD 4060
P 1800 979 692

Pharmsmart

10493

RAMETIN® contains naphthalophos, a member of the organophosphorus family of chemicals. It is effective against organophosphate susceptible strains of mature and immature stages of Barber's Pole worm (*Haemonchus contortus*), Stomach Hair worm (*Trichostrongylus axei*), Black Scour worm (*Trichostrongylus* spp.), Small Brown Stomach worm (*Ostertagia* spp.), and mature stages of Thin Necked Intestinal worm (*Nematodirus* spp.) in sheep and lambs. Resistance may develop to any chemical.

Ask your local veterinary practitioner or animal health adviser for recommended parasite management practices for your area to reduce development of resistance. It is advisable that a resistance test be conducted before any parasite treatment is used.

DIRECTIONS FOR USE:

Restraints: DO NOT USE in ewes which are producing or may in the future produce milk that may be used or processed for human consumption.

Contraindications: This product is contraindicated for use in severely debilitated, stressed or drought-affected animals or those affected by lupinosis. This product should not be used on lambs less than 6 kg.

Precautions: This product must not be used at the same time as any other drench without veterinary advice. Do not treat thirsty, exhausted sheep or those suffering from poor nutrition. Allow animals access to water after treatment. Use care when drenching. Do not misdirect dosage into the lungs. Check the accuracy of drench gun before starting to treat.

Dosage and Administration: Sheep should be weighed prior to drenching. Select the correct dose for each sheep. Do not underdose or overdose.

Bodyweight (kg)	Dose volume of prepared drench (mL)	No. of sheep treated per 1.5 kg pack
6 – 7.5	2	5000
7.6 – 9	2.5	4000
9.1 – 12	3	3333
12.1 – 16	4	2500
16.1 – 20	5	2000
20.1 – 28	6.5	1538
28.1 – 40	9	1111
40.1 – 52	13	769
52.1 – 68	17	588
68.1 – 90	22	454

GENERAL DIRECTIONS:

Mixing instructions: RAMETIN® mixes readily with all types of water. Its high suspensibility ensures a consistent uniform suspension during drenching. If product is left standing, shake well before using.

Remove large cap and half fill container slowly with water. Replace cap and shake well. Then remove cap and top up with water to the fill-line shown. Replace cap and shake well for 3 minutes.

RAMETIN® may be mixed with benzimidazole and levamisole based drench product under veterinary advice. RAMETIN® is compatible with copper sulphate. RAMETIN® will control strains resistant to other drench groups but resistance may develop to any drench product. If drench failure is suspected, seek veterinary confirmation and notify the manufacturer

WITHHOLDING PERIODS:

MEAT: DO NOT USE less than 7 days before slaughter for human consumption.

MILK: DO NOT USE in ewes which are producing or may in the future produce milk that may be used or processed for human consumption.

TRADE ADVICE:

EXPORT SLAUGHTER INTERVAL (ESI): DO NOT USE less than 7 days before slaughter for export. Before using this product, confirm the current ESI from Pharm Smart Australia Pty Ltd on 1800 979 692 or the APVMA website (www.apvma.gov.au/residues).

SAFETY DIRECTIONS: Very Dangerous. Poisonous if absorbed by skin contact, inhaled or swallowed. May irritate the eyes and skin. Repeated minor exposure may have a cumulative poisoning effect. Avoid contact with eyes and skin. Do not inhale dust. When opening the container and preparing drench, wear cotton overalls buttoned to the neck and wrist (or equivalent clothing), a rubber apron, elbow-length chemical resistant gloves and a disposable dust face mask covering mouth and nose. If clothing becomes contaminated with product remove clothing immediately. If product on skin, immediately wash area with soap and water. After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water. After each day's use, wash gloves and contaminated clothing.

FIRST AID: If swallowed, splashed on skin or in eyes, or inhaled, contact a Poisons Information Centre (Phone Australia 13 11 26) or a doctor at once. Remove any contaminated clothing and wash skin thoroughly. If swallowed, activated charcoal may be advised. Give atropine if instructed.

ADDITIONAL USER SAFETY INFORMATION: Additional information is listed in the safety data sheet.

DISPOSAL: Thoroughly empty container into backpack. Triple-rinse container and dispose of rinsate in compliance with relevant local, state or territory government regulations. Do not dispose of undiluted chemicals on-site. If the container has the drumMUSTER logo visible, and has been thoroughly cleaned and dried, and is free of any visible residues, it can be recycled at any drumMUSTER collection or similar container management program site.

The cap should not be replaced, but may be recycled separately with the container. If not recycling, break, crush, or puncture container and deliver to an approved waste management facility. If an approved waste management facility is not available, bury the broken, crushed or punctured containers 500 mm below the surface in a disposal pit specifically marked and set up for this purpose clear of waterways, vegetation and tree roots, in compliance with relevant local, state or territory government regulations. Do not burn empty containers or product.

STORAGE: Store below 30°C (room temperature) in original, tightly closed container, in a safe place.


Batch:

Expiry:

**ORGANOPHOSPHORUS
PESTICIDE, SOLID, TOXIC, PG III**

UN No. 2783

Toxic if swallowed or inhaled. May cause damage to organs through prolonged or repeated exposure. Keep away from heat, sparks, open flames and hot surfaces. – No smoking. Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Store locked up. Protect from sunlight. Store in a well-ventilated place.





10494