

WARNING
KEEP OUT OF REACH OF CHILDREN
FOR ANIMAL TREATMENT ONLY
SHAKE WELL BEFORE USE



VETRAZIN[®]

LIQUID

ACTIVE CONSTITUENT:
500 g/L Cyromazine

NET CONTENT: **10 Litres**



**For the preventative control
of blowfly strike on sheep**

Pharmsmart

10495

PLEASE READ THE LABEL COMPLETELY BEFORE USE

VETRAZIN[®]

LIQUID

DIRECTIONS FOR USE

USE RATE

FOR LONGER TERM PROTECTION (up to 12 weeks)

Mix 2 litres of VETRAZIN LIQUID with 1000 litres of water and apply by showering, plunge dipping or jetting. Ensure saturation to skin level. Top up at the same rate. Because this is a non-stripping dip, no reinforcement is required.

FOR MEDIUM TERM PROTECTION (up to 6 weeks)

Mix 1 litre of VETRAZIN LIQUID with 1000 litres of water and apply by showering or plunge dipping. **Do not use this rate for hand jetting or through spray races.** Top up at the same rate. Because this is a non-stripping dip, no reinforcement is required.

By law the user must take due care, obtaining expert advice when necessary, to avoid unnecessary pain and distress when using the product other than as directed on the label.

GENERAL INFORMATION

VETRAZIN LIQUID is a non-stripping saturation dip, which will give up to 12 weeks residual protection against flystrike caused by all the commonly found strike flies including the Australian blowfly (*Lucilia cuprina*). A shorter period of protection may occur if VETRAZIN LIQUID is applied incorrectly, if there is excessive fleece soiling or if wool infections such as mycotic dermatitis (fleece rot) are present. Prolonged heavy rain following treatment may also reduce the protection period provided by VETRAZIN LIQUID.

It is an offence for users of this product to cause residues exceeding the relevant MRL in the Food Notice: Maximum Residue Levels for Agricultural Compounds.

WITHHOLDING PERIODS

- 1. MEAT: Sheep producing meat and offal for human consumption must not be slaughtered during or within 7 days of the last treatment.**
- 2. MILK: Milk intended for sale for human consumption must be discarded for 35 days following treatment.**

WOOL RESIDUES

Ensure the time between dipping and subsequent shearing is at least two months, except in the case of spot treatment for flystrike. For advice on your dipping programme contact your supplier.

ACTIVE CONSTITUENT

Vetrazin Liquid contains 500 g/L Cyromazine in the form of a water soluble concentrate.

STORAGE

Store in original container, tightly closed, away from direct sunlight, in a cool, dry place, avoiding temperatures below 0 °C and above 35 °C.

WARRANTY

The manufacturer of this animal remedy extends/grants to the purchaser a warranty that this animal remedy is reasonably fit for the purposes for which its use is recommended, provided that the purchaser uses the remedy only for the purposes for which it is recommended and strictly in accordance with the directions on this container.

Registered Pursuant to the ACVM Act 1997, No. A005835
See www.foodsafety.govt.nz for registration conditions.

Approved Pursuant to the HSNO Act 1996, Approval Code: HSR002223
See www.epa.govt.nz for approval conditions.

Registered to Pharmsmart NZ Ltd
Level 8, 430 Victoria Street,
Hamilton 3204
New Zealand
HELPLINE: Phone 0800 694 401
www.pharmsmart.co.nz

NET CONTENT 10 LITRES

®VETRAZIN is a registered trademark of Pharmsmart and its affiliates.



Batch No:	
Expiry:	

10496

WARNING

DANGEROUS TO THE ENVIRONMENT

PLEASE READ THE LABEL COMPLETELY BEFORE USE



Safety Directions: Cyromazine possibly may affect blood and the haemopoietic system. Do not breathe fumes, vapours or mist. Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product. Handle with care.

First Aid: If exposed or concerned, contact the National Poisons Centre **0800 POISON (0800 764 766)** or a doctor.

Environmental Protection: Harmful to terrestrial invertebrates. Avoid release to the environment.

Emergency response: In case of spillage, wear appropriate protective clothing and prevent material from entering waterways. Absorb spills with inert material and place in waste containers. Wash the area with water and absorb with further inert material. Dispose of waste safely. If additional hazard information is required, refer to the Safety Data Sheet. For a copy please go to www.pharmsmart.co.nz.

Disposal: Preferably dispose of the product by use. Otherwise dispose of product and packaging at an approved landfill or other approved facility. Triple rinse container with water and add rinsate to dip wash. Crush or puncture and bury in a suitable landfill. Do NOT use container for any other purpose.

*For further details see the Safety Data Sheet.

Pharmsmart

10497